



FLORY

1500

CONVEYOR CART



FLORY INDUSTRIES

GOFLORY.COM



(209) 545-1167



4737 Toomes Rd, Salida Ca 95368

FLORY 1500

CONVEYOR CART

STANDARD FEATURES

- High-capacity conveyor cart for a wide variety of tree nut crops
- Modular design offered in both auger and stick remover configurations
- Compatible with all current shuttle and bankout configurations (rear, side and front unload)
- Shallow elevator angle with increased clearance ensures smooth flow and prevents plugging
- Industry leading unload speeds of less than 1 minute for most crops
- 2-hose hydraulic system for simple hookup and operation
- Turn signals and flashers for improved road safety
- Rear view video camera



STICK REMOVER FEATURES

- Deliver a cleaner product to the huller, which reduces costs and increases crop quality
- Stick chain reversing valve for service and clearing jams
- Robust stick box with reliable hydraulically actuated door

AUGER FEATURES

- Dual high-capacity augers to produce a full and balanced load in the cart

OPTIONS


- Auger or Stick Remover Configuration
- Power Assist Drive Wheels
- Conveyor Chain Type





SPECIFICATIONS

HYDRAULIC REQ.	18-20 GPM @ 2,800 PSI
TIRES	400 / 60 X 15.50, 14 PLY
CONVEYOR AND ELEVATOR WIDTH	44 IN.
STICK CHAIN WIDTH	54 IN.
WEIGHT AUGER / STICK REMOVER	5,700 LBS. / 7,700 LBS. (EMPTY)
MAX. LOAD	15,000 LBS.





QUALITY SINCE 1936

