



FLORY

34

SERIES SWEEPER



FLORY 34

SERIES SWEEPER

FEATURES

- The best in operator comfort and visibility
- Blower with new 50/50 split and spun inlets provide greater control and 23% more air than previous models
- Road speed of up to 14 mph to get to the next job quickly without a trailer
- Proven sturdy 5 bar head and “Align-Mount” reel for extended bearing and reel life
- Trunnion mount rear axle provides a flexible chassis for traction across rough and uneven terrain
- New engine cover design with increased durability to withstand harsh conditions
- Optional 4-wheel drive handles any sandy or hilly conditions with ease
- Large tires offer the best flotation across loose soils
- ½ In. thick orchard-proof glass on windows
- Video camera system with rear view
- Turn signals and flashers for improved road safety


OPTIONS

- Head Size (See Table)
- Berm Brush on Head
- Side Kick Sweeper Head
- Side Kick Berm Brush
- Herbicide Spray Kit
- Heater
- Hitch Kit
- Traction Tires
- 4 Wheel Drive
- Blower Spout Type (Shown with Berm Spouts)

6 BAR HEAD
WITH HIGH-CAB



NODEF



SWEEPING WIDTHS

MODEL #	HEAD SIZE	HEAD TYPE
6634	6 FT. - 6 IN.	5 BAR LOW PROFILE
7634	7 FT. - 6 IN.	5 BAR LOW PROFILE
8634	8 FT. - 6 IN.	5 BAR LOW PROFILE
70634	7 FT.	6 BAR HIGH CAPACITY
80634	8 FT.	6 BAR HIGH CAPACITY

SPECIFICATIONS

ENGINE	JOHN DEERE, 4.5L, TIER 4F
HORSEPOWER	74 HP
FUEL TYPE	DIESEL #2, ULTRA LOW SULFUR
FUEL CAPACITY	34 GAL.
NO DEF REQ.	
HYD. OIL CAPACITY	30 GAL.
GROUND SPEED	LOW RANGE: 0-7.5 MPH HIGH RANGE: 0-14 MPH
FRONT TIRES	26 X 12.00 - 12, 10 PLY
REAR TIRES	29 X 14.00 - 15, 6 PLY
WEIGHT (7FT. - 6 IN. HEAD)	7,100 LBS.





QUALITY SINCE 1936



FLORY INDUSTRIES

GOFLORY.COM

➤ (209) 545-1167

➤ 4737 Toomes Rd, Salida Ca 95368