



FLORY

79

SERIES SWEEPER



FLORY INDUSTRIES

GOFLORY.COM

➤ (209) 545-1167

➤ 4737 Toomes Rd, Salida Ca 95368

FLORY 79

SERIES SWEEPER

FEATURES


- Specifically engineered for use in orchards with low-hanging branches
- Excellent visibility and maximum operator comfort with an air-conditioned cab
- Proven sturdy 5 bar head and “Align-Mount” reel for extended bearing and reel life
- Renowned reliability and durability combined with the flexible chassis means exceptional performance in even the most demanding terrain
- Large blower fan with multiple adjustable outlet spouts provides superior blowing power and control
- Video camera system with rear view and spout view
- Turn signals and flashers for improved road safety

OPTIONS

- Head Size (See Table)
- Berm Brush on Head
- Side Kick Sweeper Head
- Side Kick Berm Brush
- Heater
- Blower Spout Type (Shown with Berm Spouts)



NODEF



SWEEPING WIDTHS

MODEL #	HEAD SIZE	HEAD TYPE
6679	6 FT. - 6 IN.	5 BAR LOW PROFILE
7679	7 FT. - 6 IN.	5 BAR LOW PROFILE
8679	8 FT. - 6 IN.	5 BAR LOW PROFILE
70679-HC	7 FT.	6 BAR HIGH CAPACITY
80679-HC	8 FT.	6 BAR HIGH CAPACITY

SPECIFICATIONS

ENGINE	JOHN DEERE, 4.5L, TIER 4F
HORSEPOWER	74 HP
FUEL TYPE	DIESEL #2, ULTRA LOW SULFUR
FUEL CAPACITY	31 GAL.
NO DEF REQ.	
HYD. OIL CAPACITY	25 GAL.
GROUND SPEED	0-10 MPH
FRONT TIRES (6 FT. HEAD)	23 X 8.50 - 12, 6 PLY
FRONT TIRES (7 FT. + HEAD)	23 X 10.50 - 12, 6 PLY
REAR TIRES	29 X 14.00 - 15, 6 PLY
WEIGHT (WITH 7 FT.- 6 IN. HEAD)	6,100 LBS.

