



FLORY

8772

SELF PROPELLED
HARVESTER



FLORY INDUSTRIES

GOFLORY.COM

➤ (209) 545-1167

➤ 4737 Toomes Rd, Salida Ca 95368

FLORY 8772

SELF PROPELLED HARVESTER

FEATURES


- Highly maneuverable self-propelled harvester designed to handle the largest crops
- Now with increased throat height and clearance over the cleaning chains
- Equipped with industry leading cleaning chains, variable speed suction fan and adjustable windboard to optimize performance for all crops and conditions
- Enhanced suction zone geometry to maximize material separation and crop cleanliness
- In-Cab control of fan speed to optimize fuel efficiency and reduce dust
- Hydraulic hitch and on/off elevator chain for end of row flexibility
- High-quality rear-view camera system, expandable up to four cameras
- Next generation air-cab with 1/2" shatter resistant windows to improve safety and comfort
- Variable speed rotary trap for reduced dust during pickup and better end of row cleanup
- Fail-Safe parking brake system that automatically engages when the engine is off
- Hydraulically powered undershot suction fan for high capacity, easy clean out and end of row shutoff
- Turn signals and flashers for improved safety



LOW DUST
QUALIFIED

OPTIONS

- Synergy Sweeps
- Heater
- Front Paddle Sweeps (std. for pecans)
- Front Drum V or Wing Sweeps
- Power Assist Traction Valve
- Mud Brush (std. for hazelnuts)
- Herbst Valve Kit
- Secondary Fan Outlet (std. for Pecans)
- Auger Drive Kit





SPECIFICATIONS

ENGINE	CAT, 4.4 LITER TURBO, TIER 4F
HORSEPOWER	174 HP.
FUEL TYPE	DIESEL #2, ULTRA LOW SULFUR
FUEL CAPACITY	97 GAL.
DEF CAPACITY	5 GAL.
HYD. OIL CAPACITY	65 GAL.
AUX. PUMP FLOW	20 GPM
GROUND SPEED	LOW RANGE: 0 - 8.5 MPH HIGH RANGE: 0 - 17 MPH
FRONT TIRES	11L - 15SL, 12 PLY
REAR TIRES	400 / 60 X 15.50, 14 PLY
THROAT WIDTH	48 IN.
WEIGHT	13,200 LBS.



TWIN-ROD

ALMOND CHAINS AND A WIDE VARIETY OF CHAINS AVAILABLE FOR OTHER CROPS





FLORY INDUSTRIES

GOFLORY.COM



(209) 545-1167



4737 Toomes Rd, Salida Ca 95368