



FLORY

TRACTOR MOUNT

V-SWEEPER AND
2X62 BLOWER



FLORY INDUSTRIES

GOFLORY.COM

➤ (209) 545-1167


➤ 4737 Toomes Rd, Salida Ca 95368

FLORY TRACTOR MOUNT

V-SWEEPER AND 2X62 BLOWER

FEATURES

- The Flory Tractor Mount V-Sweeper combined with the 2X62 Blower maximizes the speed and efficiency of harvest by reducing the number of sweeping passes, machines and operators required
- In-cab push-button adjustment of sweeping reels, brushes, blower dampers and spouts
- One-touch button automatically lowers sweeper heads, which hydraulically float to follow the terrain
- Heads and blower use 3-point mounts to easily connect and disconnect from the tractor
- Proven sturdy 5 bar head and “Align-Mount” reel for extended bearing and reel life
- Now includes dust containment curtain for sweeper heads (not shown)
- Turn signals and flashers for improved road safety




OPTIONS


2X62

- Blower Spout Type
(Shown with Berm Spouts)
- Tractor or Stand Alone Hydraulics

TMV

- Head Size (See Table)
- Berm Brushes on Heads





SWEEPING WIDTHS

MODEL	HEAD SIZE	RECOMMENDED TREE ROW SPACING (FT.)				
		19	20	21	22	23
TMV44V62	DUAL 4.5 FT. + BRUSHES					
TMV55V62	DUAL 5.5 FT. + BRUSHES					



NOTE: MAY VARY DEPENDING ON CONDITIONS

SPECIFICATIONS

PTO SPEED **1,000 RPM**
 MIN. PTO HP. **90 HP (TMV AND BLOWER)
 60 HP (BLOWER ONLY)**
 MIN. HYD. SUPPLY **20 GPM, 1,500 PSI (TMV ONLY)**

TMV HYD. OIL CAPACITY **6 GAL.**
 TMV WEIGHT **3,600 LBS. (WITH 5-5 HEADS)**

BLOWER HYD. OIL CAPACITY **6 GAL. TOTAL / 4.4 GAL. IN TANK**
 BLOWER WEIGHT **2,200 LBS. (WITH POWER PACK)**
 BLOWER AIR OUTPUT **UP TO 146 MPH, 26,050 CFM
 TOTAL**





FLORY INDUSTRIES

GOFLORY.COM

➤ (209) 545-1167

➤ 4737 Toomes Rd, Salida Ca 95368