



FLORY

V62

SERIES SWEEPER



FLORY INDUSTRIES

GOFLORY.COM

> (209) 545-1167

> 4737 Toomes Rd, Salida Ca 95368

FLORY V62

SERIES SWEEPER



FEATURES

- The Flory Super V maximizes the speed and efficiency of harvest by reducing the number of sweeping passes, machines and operators required
- In-cab push-button adjustment of blower speed, spout and brush position
- One-touch button automatically lowers sweeper heads, which hydraulically float to follow the terrain
- Next generation air-cab with 1/2" shatter resistant windows to improve safety and comfort
- Trunnion mount rear axle provides a flexible chassis for traction across rough and uneven terrain
- Proven sturdy 5 bar head and "Align-Mount" reel for extended bearing and reel life
- Fail-Safe parking brake system that automatically engages when the engine is off
- Now includes dust containment curtain for sweeper heads (not shown)
- Turn signals and flashers for improved road safety
- Rear view camera

HEADS AND BLOWERS FOLD

FOR EASE OF TRANSPORTATION

OPTIONS

- Bonsai Visionsteer
- Head Size (See Table)
- Blower Spout Type (Shown with Berm Spouts)
- 4 Wheel Drive
- Heater
- Sprayer Kit (Hyd. Valve with Rear Couplers)





SWEEPING WIDTHS

MODEL	HEAD SIZE	RECOMMENDED TREE ROW SPACING (FT.)				
		20	21	22	23	24
44V62	DUAL 4.5 FT. + BRUSHES					
55V62	DUAL 5.5 FT. + BRUSHES					
66V62	DUAL 6.5 FT. + BRUSHES					

NOTE: MAY VARY DEPENDING ON CONDITIONS

SPECIFICATIONS

ENGINE	CAT, 4.4L TURBO, TIER 4F
HORSEPOWER	148 HP
FUEL TYPE	DIESEL #2, ULTRA LOW SULFUR
FUEL CAPACITY	70 GAL.
DEF CAPACITY	8 GAL.
HYD. OIL CAPACITY	55 GAL.
GROUND SPEED	LOW RANGE: 0-8 MPH HIGH RANGE: 0-15 MPH
FRONT TIRES	31 X 13.50 - 15, 8 PLY
REAR TIRES	31 X 15.50 - 15, 10 PLY
WEIGHT (4FT.- 5 IN. HEADS)	13,200 LBS.





FLORY INDUSTRIES

GOFLORY.COM ➤ **(209) 545-1167** ➤ **4737 Toomes Rd, Salida Ca 95368**