



FLORY VR700

SIDE MOUNT
SHAKER



FLORY INDUSTRIES

GOFLORY.COM



(209) 545-1167



4737 Toomes Rd, Salida Ca 95368

FLORY VR700



SIDE MOUNT SHAKER

STANDARD FEATURES

- Fully programmable shake profiles and automated functions for ease of use and repeatability
- Touch screen with rear-view camera
- Advanced hydrostatic shake system for quick cycles and maximum crop removal
- TH-7X shaker head with 110CC VOAC, center swing weights, grease serviceable energy wheels and sling lubrication system
- Air conditioned & heated cabin with stereo
- Tilt steering column & suspension seat
- Sleek & angled exterior design
- Durable powder coated finish
- Radiator, oil cooler and fuel cooler are designed to handle debris including hinged access for cleaning
- LED light bars (Front, rear, side & head) and safety flasher lights (front & rear)
- Fail safe parking brake

PRO FEATURES

- Increased fuel capacity
- 3WD with auto-shifting
- Reversible cooling fan
- Climate controlled cab
- Additional HP. resulting in quicker crop removal
- In-cab remote released access panels


OPTIONS

- Synergy Blower (139 HP. PRO+ model only)
- Various shake patterns
- Brush or finger style sweepers
- 30" clamp opening
- TRAX rubber track drive
- 3WD (standard on PRO+)
- AXIOM lift system
- Tier 3, 99 HP. engine for international markets

SYNERGY BLOWER OPTION



TRAX OPTION



P20t
MODEL PICTURED



SPECIFICATIONS

ENGINE	JOHN DEERE, 4045, TIER 4F
HORSEPOWER	STD. 74 HP. / PRO+ 139 HP.
FUEL TYPE	DIESEL #2, ULTRA LOW SULFUR
FUEL CAPACITY	STD. 40 GAL. / PRO+ 48 GAL.
DEF CAPACITY	STD. NO DEF / PRO+ 5 GAL.
HYD. OIL CAPACITY	42 GAL.
WATER CAPACITY	30 GAL.
GROUND SPEED	LOW RANGE: 0-7 MPH HIGH RANGE: 0-16/18 MPH 2WD/3WD
TIRES	380 / 55 X 16.5, 14 PLY
WEIGHT	STD. 13,500 LBS. / PRO+ 13,900 LBS.





QUALITY SINCE 1936



VECTOR